

STRIPPING MACHINE FEEDING ROBOT

AUTOMATICALLY FROM THE TROLLEY TO THE
STRIPPING MACHINE



rev. 001100.2405.66

■ Stripping machine feeding robot

- Cell for unloading trolleys combined with the stripping machine
- By inserting the trolley full of dry pasta inside the cell, with a single operation the machine picks up the sticks from the trolley
- Automatically loads the stripping machine

STRIPPING MACHINE FEEDING ROBOT

Cell for unloading trolleys combined with. By inserting the trolley full of dry pasta inside the cell, with a single operation the machine picks up the sticks from the trolley and automatically loads the stripping machine.

Main technical features:

- By inserting the trolley full of dry pasta inside the cell, with a single operation the machine picks up the sticks from the trolley and automatically loads the stripping machine
- Automatically loads the stripping machine
- The empty sticks are then collected on a wheeled trolley, placed under the stripping machine.

Technical data.

- Output: 4/6 strokes/minute
- Weight: 850kg (depending on the type)
- Power: 2KW or so (depending on the type) 400/3F 50Hz



Stripping machine feeding robot



Stripping machine feeding robot



STRIPPING MACHINE FEEDING ROBOT



■ Stripping machine feeding robot



facebook.com/storci.spa



youtube.com/user/StorciPastaMachinery



linkedin.com/company/storci-spa

Storci S.p.A.
via Lemignano, 6 - 43044 Collecchio (Parma)
phone: +39 0521 543611 fax: +39 0521 543621
www.storci.com - sales-storci@storci.com

